300sq AnchorLOK™




PATENT PENDING


System Weight: 21.5 kg [47 lb]

Contact us:
ChickWorkholding.com
724.772.1644

AnchorLOK™
300mm SQ



298 [11.73 in]
80 [3.15 in]
80 [3.15 in]
80 [3.15 in]
298 [11.73 in]
80 [3.15 in]
34.5 [1.36 in]
17 [0.67 in]
12 [0.47 in]
35.6 [1.40 in]
48 [1.89 in]
37.5 [1.48 in]
37.5 [1.48 in]
CHICK
AnchorLOK


Slide Assembly Spare Parts




Platform Mounting Kits



Each AnchorLOK Platform comes with a mounting kit, which includes appropriate bolts and T-nuts (where applicable) for its corresponding pallet(s)/table(s).









MultiLOKs
See pages 8 & 9 for ordering information



Blank Fixture Plates*
See pages 10 & 11 for ordering information


Grid Fixture Plates
See pages 10 & 11 for ordering information




QwikLOKs





*Fixture Plates shown with custom fixturing.




150mm MultiLOKs

See page 8 for ordering information




100mm MultiLOKs

See page 9 for ordering information




Fixture & Grid Plates*


See pages 10 & 11 for ordering information





QwikLOKs & OneLOKs



*Fixture plates shown with custom fixturing.







Blank Fixture Plates*


See pages 10 & 11 for ordering information







Grid Fixture Plates

See pages 10 & 11 for ordering information






QwikLOKs



OneLOKs

*Fixture plates shown with custom fixturing.




Alignment Indicator


Each AnchorLOK payload includes two indicator plugs to assist with alignment.

White
PRODUCT ID NEEDED
Used to indicate Side 1 / front of payload. Included with all payloads.


Black
PRODUCT ID NEEDED
Used to "blank" indicator slot on rear of of MultiLOK payloads.

Gray
PRODUCT ID NEEDED
Used to "blank" indicator slot on rear of fixture plate and grid plate payloads.






AL30-610-5ML1550-41
5ML1550-41 MultiLOK
610mm Overall System Height




AL30-650-5ML1550-41
5ML1550-41 MultiLOK
650mm Overall System Height




Adaptor Plates


Adaptor Plates may be ordered separately.



AL30-AP11-5ML1550-41





AL30-AP15-5ML1550-41



Adaptor Plate Underside


AL30-510-5ML1040-41
5ML1040-41 MultiLOK
510mm Overall System Height






Adaptor Plates

Adaptor Plates may be ordered separately.




AL30-AP11-5ML10-41





Adaptor Plate Underside


AL30-FP30x30x54
300mm x 300mm x 54mm Fixture Plate
for 300mm Sq AnchorLOK



AL30-GP30x30x05
300mm x 300mm x 50mm Grid Plate
for 300mm Sq AnchorLOK








Fixture / Grid Plate Weight: 13 kg [29 lb]


Contact us:
ChickWorkholding.com
724.772.1644

AnchorLOK™
300mm SQ

AL30-FP40x40x54
400mm x 400mm x 54mm Fixture Plate
for 300mm Sq AnchorLOK



AL30-GP40x40x05
400mm x 400mm x 50mm Grid Plate
for 300mm Sq AnchorLOK







Plate Underside



Fixture / Grid Plate Weight: 23 kg [51 lb]


Contact us:
ChickWorkholding.com
724.772.1644

AnchorLOK™
300mm SQ

Pounds (lb)

Force	=	Torque	x	Slope
lb	=	in-lb	x	31.25
lb	=	ft-lb	x	375

	Torque (ft-lb)	Force (lb)
	40	20000
	50	23750
	60	27500
	70	31250
*	80	35000




* Maximum recommended torque. Actual results may vary.

Kilo Newtons (kN)

Force	=	Torque	x	Slope
n	=	N-m	x	1180
kN	=	N-m	x	1.18

	Torque (N-m)	Force (kN)
	52	89
	68	106
	81	122
	95	139
*	108	155



* Maximum recommended torque. Actual results may vary.